


Cannabinoid Signaling

The cannabinoid receptors CB₁ and CB₂ can be activated by endogenous, synthetic, and plant cannabinoids. Cayman Chemical offers a broad collection of assay kits, antibodies, and ligands to study these receptors and related enzymes.



Request a copy of the Cannabinoid Receptor wall poster at www.caymanchem.com/literature




Cannabinoid Receptor Antibodies

Item No.	Product Name	Summary
10006590	CB ₁ Receptor (C-Term) Polyclonal Antibody	Host: Rabbit • Species Reactivity: (+) Human, mouse, rat • Applications: IHC, WB
101500	CB ₁ Receptor Polyclonal Antibody	Host: Rabbit • Species Reactivity: (+) Human, mouse, rat • Applications: IHC, WB
101550	CB ₂ Receptor Polyclonal Antibody	Host: Rabbit • Species Reactivity: (+) Human, mouse • Applications: IHC, WB
10010712	CB ₂ Receptor Polyclonal FITC Antibody	Host: Rabbit • Species Reactivity: (+) Human • Applications: FC, IF

Endocannabinoids

Cayman offers a diverse collection of tools to study endogenous ligands for the cannabinoid receptors, arachidonoyl ethanolamide (AEA; Item No. 90050) and 2-arachidonoyl glycerol (2-AG; Item No. 62160), as well as enzymes that synthesize and degrade these endocannabinoids.



Endocannabinoid synthesis and hydrolysis

NAPE-PLD Antibodies

Item No.	Product Name	Summary
10305	NAPE-PLD (Internal) Polyclonal Antibody	Host: Rabbit • Species Reactivity: (+) Human, mouse, rat • Application: WB
10306	NAPE-PLD (N-Term) Polyclonal Antibody	Host: Rabbit • Species Reactivity: (+) Human, bovine, mouse, rat • Application: WB

MAGL Protein, Antibodies, and Assay Kit

Item No.	Product Name	Summary
10007812	Monoacylglycerol Lipase (human, recombinant)	Source: Active human recombinant C-terminal His-tagged protein expressed in <i>E. coli</i> MW: 39 kDa
10212	Monoacylglycerol Lipase (FL) Polyclonal Antibody	Host: Rabbit • Species Reactivity: (+) Human, rat • Applications: ICC, IHC, WB
100035	Monoacylglycerol Lipase Polyclonal Antibody	Host: Rabbit • Species Reactivity: (+) Human, bovine, mouse, rat • Applications: IHC, WB
705192	Monoacylglycerol Lipase Inhibitor Screening Assay Kit	A convenient colorimetric method for screening human MAGL inhibitors

MAGL Substrate and Inhibitors

Item No.	Product Name	Summary
10007904	Arachidonoyl-1-thio-Glycerol	A chromogenic substrate for measurement of MAGL activity
13158	JZL 184	A selective MAGL inhibitor (IC_{50} s = 8 nM and 4 μ M for MAGL and FAAH in mouse brain membranes, respectively)
11777	KML29	A selective inhibitor of mouse, rat, and human MAGL (IC_{50} s = 15, 43, and 5.9 nM, respectively)
27348	MAGL Inhibitor Compound 23	A selective inhibitor of MAGL (IC_{50} = 80 nM) that inhibits the growth of some cancer cells <i>in vitro</i> and increases 2-AG in mouse brain and plasma
17583	MJN110	An N-hydroxysuccinimidyl carbamate that inhibits MAGL (IC_{50} = 9.1 nM)
13621	Pristimerin	A naturally occurring terpenoid that inhibits MAGL (IC_{50} = 93 nM)

[View additional MAGL inhibitors at www.caymanchem.com](http://www.caymanchem.com)

DAGL Inhibitors

Item No.	Product Name	Summary
18933	KT109	A selective inhibitor of DAGL β (IC_{50} = 42 nM)
16419	LEI-106	An <i>in vitro</i> inhibitor of <i>sn</i> -1 DAGL α (IC_{50} = 18 nM)
14009	O-7460	A selective inhibitor of DAGL α (IC_{50} = 690 nM)
10005426	Orlistat	An inhibitor of human recombinant DAGL α (IC_{50} = 60 nM)
16432	RHC-80267	A selective inhibitor of DAGL (IC_{50} = 4 μ M in canine platelets)

ABHD6 Inhibitors

Item No.	Product Name	Summary
15404	KT182	A potent inhibitor of ABHD6 (IC_{50} s = 1.7, 15.1, and 0.24 nM using Neuro2a membrane proteomes, recombinant ABHD6 in HEK293T cells, and Neuro2a cells <i>in situ</i> , respectively)
14818	KT195	A selective inhibitor of ABHD6 (IC_{50} = 10 nM)
16849	WWL123	A brain-penetrant inhibitor of ABHD6 (IC_{50} = 0.43 μ M)

[View additional ABHD6 inhibitors at www.caymanchem.com](http://www.caymanchem.com)

FAAH Protein, Antibody, and Assay Kit

Item No.	Product Name	Summary
10010183	Fatty Acid Amide Hydrolase (human, recombinant)	Source: Human recombinant C-terminal His-tagged protein expressed in Sf21 cells • MW: 64.3 kDa
101600	Fatty Acid Amide Hydrolase Polyclonal Antibody	Host: Rabbit • Species Reactivity: (+) Human, mouse, rat • Applications: IHC, WB
10005196	Fatty Acid Amide Hydrolase Inhibitor Screening Assay Kit	A convenient fluorescence-based method for screening FAAH inhibitors

FAAH Inhibitors

Item No.	Product Name	Summary
10005102	CAY10435	A selective inhibitor of rat FAAH (K_i = 0.57 nM)
19987	JNJ-42165279	A potent, irreversible FAAH inhibitor (IC_{50} s = 70 and 313 nM for human and rat forms, respectively) with activity <i>in vivo</i> , blocking FAAH activity in brain and periphery of rats and raising concentrations of endocannabinoids
10008661	JP104	An irreversible FAAH inhibitor (IC_{50} = 7.3 nM for the human recombinant enzyme when tested using radiolabeled oleamide)
13279	PF-3845	A selective, irreversible inhibitor of FAAH (K_i = 0.23 μ M)
19306	PF-04457845	An orally active, irreversible FAAH inhibitor (IC_{50} = 7.2 nM)
10046	URB597	A selective FAAH inhibitor (IC_{50} s = 4.6 and 0.5 nM in brain membranes and intact neurons, respectively)

[View additional FAAH inhibitors at www.caymanchem.com](http://www.caymanchem.com)

Cannabinoid Transport


Item No.	Product Name	Summary
90060	AM404	A blocker of AEA reuptake with an IC ₅₀ of 1 μM in rat neurons and 5 μM in rat astrocytes
90052	Arvanil	Agonist activity potentiator of endogenous cannabinoids by inhibiting the reuptake of AEA
10005072	CAY10455	A fluorescent substrate for AEA transport
10007072	1-Palmitoyl-2-linoleoyl PE	A substrate used in studies involving the biosynthesis of AEA

View additional cannabinoid transport modulators at www.caymanchem.com

Phytocannabinoids

Cayman offers analytical standards for the many prominent phytocannabinoids unique to the *Cannabis* plant as well as their metabolites, newly identified homologs, and impurities. Cayman also offers multi-component standard mixtures to help expedite analysis.

Request a copy of the Phytocannabinoid Guide: Biosynthesis, Naming, and Numbering wall poster at www.caymanchem.com/literature



Solid Materials

Item No.	Product Name
9002438	(±)-Cannabicyclol
90080	Cannabidiol
9001574	Cannabidivarin
9001575	Cannabidivarinic Acid
15293	Cannabigerol
9001572	Cannabigerolic Acid
9002437	Cannabigerovarin
25469	Cannabigerovarinic Acid
25495	Cannabinol
29031	CBDB


View additional phytocannabinoids at www.caymanchem.com

Certified Solutions

Item No.	Product Name
ISO60163	(±)-Cannabichromene (CRM)*
18090	Cannabidiolic Acid (CRM)
23251	Phytocannabinoid Mixture 3 (CRM)
25077	Phytocannabinoid Mixture 6 (CRM)
21305	Phytocannabinoid Mixture 10 (CRM)
21306	Phytocannabinoid Mixture 11 (CRM) (1 ml, 250 μg/ml)
18091	Tetrahydrocannabivarin (CRM)
ISO60158	Δ ⁸ -THC (CRM)*
ISO60157	Δ ⁹ -THC (CRM)*
ISO60175	THCA-A (CRM)


*Isotopically labeled versions of these standards are available for mass spec analysis

Discover Our Latest Phytocannabinoid News



Why Does Alkyl Chain Length Matter?

www.caymanchem.com/alkylchain



Cannabis: Our Key to the Endocannabinoid System

www.caymanchem.com/cannabiskey

Synthetic Cannabinoids

Cayman offers the world's largest collection of potent cannabinoid receptor agonists, antagonists, and inverse agonists, many of which are highly selective for either the central or peripheral receptor.

CB₁-Selective Ligands

Item No.	Product Name	Summary
71670	AM251	CB ₁ receptor antagonist (K _i s = 7.5 and 2,290 nM for CB ₁ and CB ₂ , respectively)
91054	Arachidonoyl 2'-Chloroethylamide	CB ₁ receptor agonist (K _i s = 1.4 and >2,000 nM for CB ₁ and CB ₂ , respectively)
90070	R-1 Methanandamide	CB ₁ receptor agonist (K _i s = 17.9-28.3 and 815-868 nM for CB ₁ and CB ₂ , respectively)
10004184	NESS 0327	CB ₁ receptor antagonist (K _i s = 0.35 pM and 21 nM for CB ₁ and CB ₂ , respectively)
9000484	Rimonabant	CB ₁ receptor antagonist (K _i s = 5.6 and >1,000 nM for CB ₁ and CB ₂ , respectively)

CB₂-Selective Ligands

Item No.	Product Name	Summary
10006974	AM630	CB ₂ receptor inverse agonist (K _i s = 5,152 and 31.2 nM for CB ₁ and CB ₂ , respectively)
10010118	AM1241	CB ₂ receptor agonist (K _i s = 580 and 7.1 nM for CB ₁ and CB ₂ , respectively)
10005428	JWH 133	CB ₂ receptor agonist (K _i s = 677 and 3.4 nM for CB ₁ and CB ₂ , respectively)
10009280	L-759,633	CB ₂ receptor agonist (K _i s = 1,043 and 6.4 nM for CB ₁ and CB ₂ , respectively)
9000491	SR 144528	CB ₂ receptor inverse agonist (K _i s = 305 and 0.3 nM for CB ₁ and CB ₂ , respectively)

Mixed CB₁/CB₂-Selective Ligands

Item No.	Product Name	Summary
90084	(-)-CP 55,940	CB receptor agonist (K _i s = 0.5-5 and 0.69-2.8 nM for CB ₁ and CB ₂ , respectively)
90083	HU-210 (exempt preparation)	CB receptor agonist (K _i s = 0.73 and 0.524 nM for CB ₁ and CB ₂ , respectively)
10009023	(+)-WIN 55,212-2 (mesylate)	CB receptor agonist (K _i s = 62.3 and 3.3 nM for CB ₁ and CB ₂ , respectively)

Over 700 synthetic cannabinoids including parent compounds, isomers, labeled standards, and metabolites are available at www.caymanchem.com

Cannabinoid-Related Receptor: GPR55

The GPR55 receptor is a lysophosphatidylinositol (non-CB₁/CB₂) receptor that displays high binding affinity to many cannabinoid ligands. Cayman carries select ligands specific to this receptor as well as an antibody to study its role in cannabinoid-related signal transduction.

Item No.	Product Name	Summary
10224	GPR55 Polyclonal Antibody	Host: Rabbit • Species Reactivity: (+) Human, bovine • Applications: ELISA, WB
10004259	Abnormal Cannabidiol	A selective GPR55 agonist (EC ₅₀ s = 2.5, >30, and >30 μM for GPR55, CB ₁ , and CB ₂ , respectively)
62165	2-Arachidonoyl Glycerol ether	A potent and selective CB ₁ and GPR55 agonist (EC ₅₀ s = 10, 37, and >30,000 nM for CB ₁ , GPR55, and CB ₂ , respectively)
15247	CID16020046	A selective GPR55 inverse agonist (IC ₅₀ = 15 μM)
17641	ML-184	A potent and synthetic agonist of GPR55 (EC ₅₀ = 0.26 μM)
15184	ML-193	A potent and selective GPR55 antagonist (IC ₅₀ = 221 nM)
10006803	O-1602	A potent and selective GPR55 agonist (EC ₅₀ s = 13, >30,000, and >30,000 nM for GPR55, CB ₁ , and CB ₂ , respectively)

Find more research tools at our Cannabinoid Resource Center at www.caymanchem.com/cannabinoids

Distributed by:



In Italy: Vinci-Biochem Srl
Contatto diretto: tel. 0571 568 147
vb@vincibiochem.it
www.vincibiochem.it