Oxidative stress



bringing innate immunity to the **next level**

Oxidative stress

Hycult Biotech is a leading world-class manufacturer of research reagents in the field of innate immunity. We are a specialized partner in the development and manufacturing of assays, antibodies, proteins and peptides. With the focus on innate immunity, we pay special attention to products relating to antimicrobial peptides, complement, acute phase proteins, TLR, LPS and microbial toxins.

Oxidative stress is involved in many human diseases, such as atherosclerosis, Parkinson's disease and Alzheimer's disease. In addition, it is assumed to be important in ageing. However, reactive oxygen species can also be beneficial, as they are used by the immune system to attack and kill pathogens. Detection or measurement of oxidation markers is helpful to assess oxidant activity and to monitor the effectiveness of the antioxidant system. Superoxides and other free radicals contribute, together with many other factors like inflammation, radiation, and carcinogen exposure, to DNA damage. Antibodies and assays for detection of DNA adducts, such as ethenoadenosine, BPDE-DNA, and 8-oxoguanine, are valuable markers for studies on DNA damage. Nitrotyrosine has been identified as a marker of inflammation and production of NO. Various pathways including the formation of peroxynitrite lead to nitrotyrosine production. Since nitrotyrosine is a stable end product of peroxynitrite oxidation, assessment of its plasma concentration is a useful marker of NO-dependent damage in vivo, taking into account that most proteins have a longer half life in the circulation than nitrite/nitrate (NOX). Nitrotyrosine has been detected by immunohistology in various inflammatory processes, including atherosclerotic plaques, celiac disease, rheumatoid arthritis, chronic renal failure and septic shock.

Validated ELISA kit sample types:

| BF: | Bronchoalveolar fluid | CS: | Cell culture supernatant |
|-----|-----------------------|-----|--------------------------|
| F: | Feces | 0: | Other biological fluids |
| P: | Plasma | S: | Serum |
| SP: | Sputum | TH: | Tissue Homogenate |
| U: | Urine | | |

| ELISA kits | | | | | |
|-------------------------------|---------|--------------|--------|--|--|
| Product name | Species | Sample types | Cat. # | | |
| Arginase I | Human | CS P S | HK322 | | |
| CML, Competitive | N/A | BF P S SP U | HIT502 | | |
| MGO, Competitive | N/A | FP | HIT503 | | |
| MPO | Human | CS P SP | HK324 | | |
| MPO | Mouse | CS P TH | HK210 | | |
| MPO | Rat | CS P TH | HK105 | | |
| Nitrotyrosine | N/A | PO | HK501 | | |
| Nitrotyrosine, Competitive | N/A | FPS | HIT501 | | |


| Proteins | | | | |
|---------------|----------|--------|--|--|
| Product name | Quantity | Cat. # | | |
| Oxidized PAPC | 1 mg | HC4035 | | |
| Oxidized PAPC | 5 mg | HC4036 | | |
| PAPC | 5 mg | HC4043 | | |

Can't find the sample type you want for an ELISA kit?

Ask the support team to assist you with your research needs on support@hycultbiotech.com!

How many tests would you like?

Almost all our ELISA kits are available in both a 1-plate and a 2-plate format!




Nitrotyrosine in human liver. Staining of paraffin section with clone HM.11 (Cat. # HM5001)

Validated antibody applications:

| F: | Frozen sections | FC: | Flow cytometry |
|-----|--------------------|-----|---------------------|
| FS: | Functional studies | IA: | Immunoassay |
| IF: | Immunofluorescence | IP: | Immunoprecipitation |
| P: | Paraffin sections | W: | Western blot |

| Antibodies | | | | |
|-----------------------|---------|---------|---------------|--------|
| Product name | Clone | Species | Applications | Cat. # |
| Arginase I | 6G3 | Human | F FC IA | HM2162 |
| Arginase I | 9C5 | Human | F IA IP | HM2163 |
| Arginase I | D1.2 | Human | FC IA W | HM2324 |
| BPDE | 8E11 | N/A | IA | HM5008 |
| BPDE-DNA | 5D11 | N/A | FC IA IF IP P | HM5007 |
| Caveolin-1 | 7C8 | Rat | IF IP W | HM3014 |
| Chlorotyrosine | pAb | N/A | F IA P | HP5002 |
| CML | CML26 | Human | F IA IF P W | HM5013 |
| Ethenoadenosine | 1G4 | N/A | F FC IA IP W | HM5005 |
| LOX-1 | 23C11 | Human | FC FS IF P | HM2138 |
| MGO-modified proteins | MGO-1 | Human | IAPW | HM5014 |
| MPO | 266-6K1 | Human | IA W | HM2164 |
| MPO | B7 | Human | F FC IA W | HM2288 |
| MPO | pAb | Human | F IA P | HP9048 |
| MPO | 8F4 | Mouse | F FC IA IF | HM1051 |
| MPO | B7 | Mouse | F FC IA W | HM1135 |
| MPO | 2D4 | Rat | FC IA | HM3030 |
| MPO | B7 | Rat | F FC IA W | HM3039 |
| Nitrotyrosine | HM.11 | N/A | F IA P W | HM5001 |




LOX-1 in human spleen. Staining of paraffin section with clone 23C11 (Cat. # HM2138)

Need a custom formulation?

Ask us and we will advise you on the possibilities!

Want a conjugated antibody?


Visit our website to see all available formats!



Arginase I in human liver. Staining of frozen section with clone 6G3 (Cat. # HM2162)

quotation!

Product in bulk quantity? Contact us for a customized



What we stand for

Original manufacturer

> 20 years experience

• Support within one working day

- Innate immunity focus
- Reliable and robust

Scientific drive

Hycult Biotech, bringing innate immunity to the next level



Even though the information provided is verified and believed to be accurate, there is always a chance that it is imprecise or may be outdated. Please make sure to visit our website for the most recent product information or contact us in case you have any questions or comments.

www.hycultbiotech.com

Hycult Biotech Frontstraat 2a 5405 PB Uden The Netherlands T +31 (0)413 251335 F +31 (0)413 248353 E info@hycultbiotech.com

Hycult Biotech Inc. 600 West Germantown Pike Suite 110, Plymouth Meeting PA 19462, USA T +1 855 2492858 F +1 484 3683558 E orders-us@hycultbiotech.com Hycult Biotech is distributed by:

In Italy:



Vinci-Biochem Srl Via Ponte di Bagnolo, 10 - Vinci (Fi) Tel. 0571 568 147 - vb@vincibiochem.it www.vincibiochem.it